



# QUICK SERVICE RESTAURANTS

## SOLUTIONS GUIDE

# A PREMIER RESTAURANT EXPERIENCE

Premier Mounts works closely with our customers in the Quick Service Restaurant Industry to provide robust and reliable mounting solutions to support the technology that enhance and optimize their customers' experience.

## RUGGED

We use heavy-duty, well-manufactured products to create robust mounts that are designed with the best durability and ease of installation in the industry.

## RELIABLE

All of our products go through rigorous quality assurance testing and have a limited lifetime warranty.

## RESPONSIVE

From the moment we pick up the phone and after the product is received, we are quick to respond and always available to assist.

## SERVICE IN FULL SUPPORT


When it comes to providing the very best in a speedy experience for your customers, we have the very best mounting solutions to help your team efficiently fly! Whether you're mounting inside or out of your establishment, front or back of kitchen, we've got you covered and supported keeping your valuable technology secure.

## PREMIER IN YOUR RESTAURANT



### MENU BOARD MOUNTS

Excite your customer's senses visually with an optimally mounted digital menu boards that boost your sales.



### DIGITAL SIGNAGE MOUNTS

Seeing is believing, right? Sharing images of delicious food and advertising your offerings inside and outside of your restaurant to the world is a surefire way to increase sales.



### POINT-OF-SALE

Protect, extend, and swivel your devices with our versatile point-of-sale solutions.



### KITCHEN MOUNTS

Our robust mounts are built to withstand the tough day-to-day environments of commercial kitchens.




### OUTDOOR SIGNAGE

Weather any storm with our reliable outdoor mounting solutions.



# MENU BOARD MOUNTS


Premier Mounts enables you to optimize the position of your menu boards to maximize revenue! We have a wide variety of robust menu board mounting solutions that optimally position your product for your customers.



UNISTRUT CHANNEL ADAPTER MOUNTS



SYMMETRY MOUNTS



CEILING MOUNTS



# POINT-OF-SALE MOUNTS

Protect your payment terminals with Premier's point of sale solutions. We engineer these solutions with versatility, convenience, and practicality in mind to minimize downtime.



PROTECTIVE CASE FOR EQUINOX LUXE 6200M



SECURE IPAD 10.9 ENCLOSURE





# DIGITAL SIGNAGE MOUNTS

When it comes to driving sales via digital signage, Premier Mounts is here to support! We offer a variety of solutions for small and large format displays in ceiling, wall, and floor applications.



CEILING & FLOOR MOUNT FOR 46" OR 55" SAMSUNG OMN-D

## OUTDOOR & SEMI-OUTDOOR

No matter what the forecast brings, our mounts are engineered and tested to withstand it all. Our flexible and robust mounts are designed to support your displays to make sure your displays are front and center for your customers!



SAMSUNG OH SERIES OUTDOOR DISPLAY



## INDOOR SIGNAGE MOUNTS

We engineer our mounts with ease of installation and adjustment in mind so your signage is perfectly positioned for maximum effectiveness.

LOW-PRO FLAT & TILT MOUNTS

ROTATING MOUNTS



# KITCHEN MOUNTS


We can handle the heat, so we'll stay in the kitchen! Our rugged mounts support your kitchen monitors and can be adjusted for optimal productivity.



DUAL ARM SWINGOUT MOUNT

ADJUSTABLE HEIGHT CEILING TILT MOUNT




SINGLE-STUD TILT & PIVOT MOUNT




**BUILT TOUGH**

**KITCHEN APPROVED**

## MENU BOARD SYMMETRY SERIES LCD VIDEO WALL MOUNTS



PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
SYM-2X1		<b>2 x 1 Symmetry Display Mount</b> + Quick, easy install & adjustment + 6-point (x,y,z) adjustments are easily accessible from the top of each fine tune display bracket + 7°, 10° & 15° Bracket Tilt Options	Up to 160 lbs. / 72 kg.	100 x 200mm - Xmm x Unlimited	+ WALL + CEILING + STAND + CART
SYM-3X1		<b>3 x 1 Symmetry Display Mount</b> + Quick, easy install & adjustment + 6-point (x,y,z) adjustments are easily accessible from the top of each fine tune display bracket + 7°, 10° & 15° Bracket Tilt Options	Up to 160 lbs. / 72 kg.	100 x 200mm - Xmm x Unlimited	+ WALL + CEILING + STAND + CART
COMING SOON		Q1 2024			

## MENU BOARD LMV PRESS & RELEASE MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
LMV		<b>Press &amp; Release Mount for Video Walls</b> + Fits Most 37" - 63" Flat Panels + OSHPD Cert., Spring-Loaded Locking Mechanism Provides Quick Release + Scissor Arms Allow for 12" Extension + Easy-Level w/ Top-Adjustable Brackets	Up to 160 lbs. / 73 kg.	200x200mm - 600x400mm	+ WALL
LMVP		<b>Portrait Press &amp; Release Mount for Video Walls</b> + Fits Most 37" - 65+" Flat Panels + X, Y, Z Adjustments + Easy-Service Access w/ Scissor Design + Easy-Level w/ Top-Adjustable Brackets	Up to 160 lbs. / 73 kg.	200x200mm - 600x400mm	+ WALL
LMVS		<b>Slim Press &amp; Release Mount for Video Walls (Meets ADA Compliance)</b> + Fits Most 37" - 80+" Flat Panels + Spring-Loaded Press & Release + Easy-Service Access w/ Scissor Design + Easy-Level w/ Top-Adjustable Brackets	Up to 100 lbs. / 45.4 kg.	200x200mm - 600x400mm	+ WALL
LMVSP		<b>Slim Portrait Press &amp; Release Mount for Video Walls (OSHPD &amp; ADA Approved)</b> + Fits Most 37" - 65+" Flat Panels + Spring-Loaded Portrait Press & Release + Easy-Service Access w/ Scissor Design + Easy-Level w/ Top-Adjustable Brackets	Up to 100 lbs. / 45.4 kg.	200x200mm - 600x400mm	+ WALL





### MENU BOARD UNISTRUT MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
UMB-DBT		<b>Channel Strut Menu Board Mount</b> + Easy Install, No Assembly Required + 15° of Tilt + Landscape & Portrait Supported + Adjustable Footpad	Up to 160 lbs. / 73 kg.	Up to 400mm x Unlimited Horizontal	+ WALL
UMB-DBTS		<b>Channel Strut Menu Board Mount</b> + Easy Install, No Assembly Required + 15° of Tilt + Landscape & Portrait Supported + Adjustable Footpad	Up to 160 lbs. / 73 kg.	Up to 400mm x Unlimited Horizontal	+ WALL




### MENU BOARD CEILING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
ECM-D70T		<b>Ceiling Mount for Dual Flat-Panels</b> + Holds Two Displays Up to 60" + 15° of Tilt + Mounts Portrait or Landscape + 360° Swivel w/ 2" Coupler + Works w/ Premier Media Player Brackets	Up to 350 lbs. / 158.75 kg.	200 x 200mm - 782 x 506mm	+ CEILING
PRC-LA		<b>Flat Panel Adjustable Height Ceiling Mount with 1.5" NPT Adapter</b> + Attaches to 1.5" NPT + 15° +/- of Tilt + 360° Swivel + Cable Routing Through Coupler	Up to 50 lbs. / 22.7 kg.	75 x 75mm - 200 x 200mm	+ CEILING











### DIGITAL SIGNAGE CEILING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	SPECS	APPLICATION
PFC-OMND		<b>Ceiling Mount for 46" or 55" Samsung OMN-D</b> + Exclusively for Samsung-OMND + Durable Steel Great for Restaurants + Durable Black Finish	46" or 55" Samsung OMN-D Compatible.	<b>H:</b> 43 in <b>W:</b> 36 in <b>D:</b> 2 in	+ CEILING






# DIGITAL SIGNAGE PRO SERIES MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
P2642F		<b>Low-Profile Mount for Flat Panels</b> + Low-Profile & OSHPD Approved + Post-Installation Leveling System + Universal Hardware Pack Included + Mounting Kit Included + Built-In Lateral Shift	Up to 130 lbs. / 59 kg.	200 x 200mm - 535 x 400mm	+ WALL
P2642T		<b>Tilting Low-Profile Mount for Flat-Panels (OSHPD Certified)</b> + 10° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift + Security Barrel Included	Up to 130 lbs. / 59 kg.	200 x 200mm - 525 x 400mm	+ WALL
P4263F		<b>Low-Profile Mount for Flat Panels</b> + OSHPD Approved + Low-Profile + Post-Installation Leveling System + Universal Hardware Pack Included + Built-In Lateral Shift	Up to 175 lbs. / 80 kg.	200 x 200mm - 815 x 525mm	+ WALL
P4263FP		<b>Low-Profile Flat Portrait Mount for Flat Panels</b> + Low-Profile & OSHPD Approved + Vertical Alignment + Post-Installation Leveling System + Universal Hardware Pack Included	Up to 175 lbs. / 80 kg.	200 x 200mm - 535 x 705mm	+ WALL
P4263T		<b>Low-Profile Tilt Mount for Flat-Panel Displays</b> + 10° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift + Security Barrel Included	Up to 175 lbs. / 79.4 kg.	200 x 200mm - 800 x 525mm	+ WALL
P4263TP		<b>Low-Profile Tilting Portrait Mount for Flat-Panels</b> + 8° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift + Security Barrel Included	Up to 175 lbs. / 79.4 kg.	200 x 200mm - 525 x 700mm	+ WALL
P5080F		<b>Low-Profile Mount for Flat Panels</b> + Low-Profile & OSHPD Approved + Post-Installation Leveling System + Universal Hardware Pack Included + Security Barrel Included + Built-In Lateral Shift	Up to 300 lbs. / 136 kg.	200 x 200mm - 1110 x 705mm	+ WALL
P5080T		<b>Tilting Low-Profile Mount for Flat-Panel Displays</b> + 8° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift + Security Barrel Included	Up to 300 lbs. / 136 kg.	200 x 200 mm - 1100 x 700 mm	+ WALL



### DIGITAL SIGNAGE ARTICULATING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
AM65		<b>Articulating Mount for Flat Panels</b> + Extends 18" from Wall + Slim Depth of Only 2.2" + 12° of Tilt + 45° of Swivel	Up to 65 lbs. / 30 kg.	100 x 100mm - 430 x 400mm	+ WALL
AM95		<b>Articulating Mount for Flat-Panels</b> + Scissor-Style Arms Pull Up to 18" + Lateral Shifting + 12° of Tilt + 45° of Swivel + ADA Compliant	Up to 95 lbs. / 43 kg.	200 x 200mm - 600 x 400mm	+ WALL
AM100		<b>Low Profile Ultra-Slim Swingout Mount for Flat-Panels</b> + Three-Point Pivot Swingout Arm + Extends 30" from Wall + 15° of Downward Tilt, 180° of Swivel + Post-Installation Leveling	Up to 100 lbs. / 45.5 kg.	100 x 100mm - 630 x 526mm	+ WALL

### DIGITAL SIGNAGE TILT & ROTATING MOUNTS



PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
PTM-B		<b>Single Stud Tilt and Pivot Mount for Flat-Panels</b> + Smooth Tilt & Pivot + 15°+/- Tilt, Pivot & 360° Screen Rotate + Integrated Cable Routing + OSHPD & DSA Approved	Up to 50 lbs. / 23 kg.	75 x 75mm - 200 x 200mm	+ WALL
PRF		<b>Fixed Low-Profile Flat Panel Mount for Displays</b> + Low-Profile + Fast & Easy Assembly + Cable Cutouts on Wall Plate + Universal Hardware Pack Included	Up to 50 lbs. / 22.5 kg.	75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm	+ WALL
PRC-LA		<b>Flat Panel Adjustable Height Ceiling Mount with 1.5" NPT Adapter</b> + Attaches to 1.5" NPT + 15° +/- of Tilt + 360° Swivel + Cable Routing Through Coupler	Up to 50 lbs. / 22.7 kg.	75 x 75mm - 200 x 200mm	+ CEILING
RFM		<b>Rotating Mount for Flat-Panels</b> + Landscape to Portrait Rotation + Supports Displays 42" - 70" + Mounts in Landscape or Portrait + 2-Piece Slim Design	Up to 160 lbs. / 72 kg.	200 x 200mm - 870 x 505mm	+ WALL

## POINT-OF-SALE EQUINOX MOUNTS






PART #	PRODUCT	DESCRIPTION	COMPATIBILITY	APPLICATION
7160-1310		<b>Equinox LUXE™ 8500i Low Swivel Stand</b> + Nylon Friction Bearing Smoothly Swivels Terminal Up to 120° + Included Hardware Kit + Black Powder-Coat Durable Finish	Equinox Luxe 8500i.	+ Point of Sale + Countertop + Table
7160-1311		<b>Equinox LUXE™ 8500i Short Clevis Stand</b> + Nylon Friction Bearing Smoothly Swivels Terminal Up to 120° + 45° Ergonomic Tilt 45° + Black Powder-Coat Durable Finish	Equinox Luxe 8500i.	+ Point of Sale + Countertop + Table
7160-1409		<b>Protective Payment Case for Equinox LUXE™ 6200m</b> + Works with Extended Battery + Access to Buttons and Ports + ABS Plastic Case Snaps Together and Protects Payment Device + AMPS Hole Pattern for Attaching Accessories	Equinox Luxe 6200m Wired, Stand and Mobile Models w/o Printer.	+ Point of Sale
7160-1735		<b>Universal Drive-Thru Handle w/ AMPs Hole Pattern</b> + 18" Overall Length + Lightweight, Rugged Aluminum Powder-Coated for In or Outdoor + Rubber Handle Grip for Ease-of-Use + Wall-Hanging Bracket Included	Universal - Also Bolts to our 7160-1409.	+ Point of Sale



## POINT-OF-SALE iPad MOUNTS

PART #	PRODUCT	DESCRIPTION	COMPATIBILITY	SPECS	APPLICATION
7160-1617		<b>Secure Tablet Kiosk for iPad 10.2</b> + Easy-Open Access w/ Secure Key Lock & Padlock Bar + Prevents Damage & Tampering + Room Inside for Cables & Peripherals + Fixed 30° Angle for Optimal Viewing	Apple iPad 10.2, 7th-9th Generation.	<b>Weight:</b> 15 lbs / 6.8 kg <b>H:</b> 11 in / 27.94 cm <b>W:</b> 15 in / 38.1 cm <b>D:</b> 9.42 in / 23.93 cm	+ Point of Sale
7160-1881		<b>Secure Tablet Kiosk for iPad 10.9</b> + Easy-Open Access w/ Secure Key Lock & Padlock Bar + Prevents Damage & Tampering + Room Inside for Cables & Peripherals + Fixed 30° Angle for Optimal Viewing	Apple iPad 10.9, 10th Generation.	<b>Weight:</b> 15 lbs / 6.8 kg <b>H:</b> 11 in / 27.94 cm <b>W:</b> 15 in / 38.1 cm <b>D:</b> 9.42 in / 23.93 cm	+ Point of Sale



KITCHEN MOUNTS					
PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
AM50-B		<b>Dual Arm Swingout Mount for Flat-Panel Displays</b> + 360° of Rotation & 90° of Swivel + Single Stud Installation + Extends 16.9" from Wall + OSHPD Approved	Up to 50 lbs. / 23 kg.	75 x 75mm - 200 x 200mm	+ WALL
PTM-B		<b>Single Stud Tilt and Pivot Mount for Flat-Panels</b> + Smooth Tilt & Pivot + 15°+/- Tilt, Pivot & 360° Screen Rotate + Integrated Cable Routing + OSHPD & DSA Approved	Up to 50 lbs. / 23 kg.	75 x 75mm - 200 x 200mm	+ WALL
PRF		<b>Fixed Low-Profile Flat Panel Mount for Displays</b> + Low-Profile + Fast & Easy Assembly + Cable Cutouts on Wall Plate + Universal Hardware Pack Included	Up to 50 lbs. / 22.5 kg.	75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm	+ WALL
PRC-LA		<b>Flat Panel Adjustable Height Ceiling Mount with 1.5" NPT Adapter</b> + Attaches to 1.5" NPT + 15° +/- of Tilt + 360° Swivel + Cable Routing Through Coupler	Up to 50 lbs. / 22.7 kg.	75 x 75mm - 200 x 200mm	+ CEILING
VPM		<b>Universal VESA Single Pole Mount</b> + Radial Glide® for Smooth Tilt & Pivot + 10°+/- Smooth Pivot in Any Direction + Remains Fixed After Positioning + Back-to-Back Mounting Supported + Versatile, Easy Assembly	Up to 50 lbs. / 22.6 kg.	Fits up to: 200 x 200mm	+ CART + STAND

OUTDOOR MOUNTS					
PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
P2642F-EX		<b>Exterior Low-Profile Wall Mount</b> + Corrosion-Resistant Outdoor Finish + Stainless Steel Hardware + Post-Installation Leveling + Built-In Lateral Shift	Up to 130 lbs. / 59 kg.	200 x 200mm - 535 x 400mm	+ WALL
P4263F-EX		<b>Exterior Low-Profile Wall Mount</b> + Corrosion-Resistant Outdoor Finish + Stainless Steel hardware + Post-Installation Leveling + Built-In Lateral Shift + Easy Cable & Electrical Access	Up to 175 lbs. / 80 kg.	200 x 200mm - 800 x 525mm	+ WALL
P4263T-EX		<b>P-Series Tilting Low-Pro Outdoor Mount for Flat-Panel Displays</b> + Corrosion-Resistant Outdoor Finish + 10° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift	Up to 175 lbs. / 80 kg.	200 x 200mm - 800 x 525mm	+ WALL
7170-0977-00		<b>Outdoor Flat Display Mount for Samsung OH55A-S Display</b> + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Up to 125 lbs. / 56.7 kg.	Samsung OH55A-S Compatible.	+ WALL
7170-0977-01		<b>Outdoor Tilt Display Mount for Samsung OH55A-S Display</b> + 5°, 10° or 15° of Downward Tilt + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Up to 125 lbs. / 56.7 kg.	Samsung OH55A-S Compatible.	+ WALL
7170-0978-00		<b>Outdoor Flat Mount for Samsung OH75 Display</b> + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Up to 315 lbs. / 142.8 kg.	Samsung OH75F Compatible.	+ WALL
7170-0978-01		<b>Outdoor Tilt Display Mount for Samsung OH75 Display</b> + 5°, 10° or 15° of Downward Tilt + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Up to 315 lbs. / 142.8 kg.	Samsung OH75F Compatible.	+ WALL
COMING SOON		OUTDOOR FRAME MOUNT			





**Scan the QR Code Below to Contact your Local Sales Representative Today!**



Call us at **1.800.368.9700** or email us at **ORDERS@PREMIERMOUNTS.COM**

Visit **PREMIERMOUNTS.COM** to see our complete line of AV mounting solutions and hang with us on social media at **@PREMIERMOUNTS**



## PREMIER MOUNTS

500 W Central Ave, Suite A  
Brea, CA 92821